

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	0	("60311703").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/09/23 10:57
S2	0	("(jitteradjbuffer)").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/09/23 10:58
S3	571	(jitter adj buffer)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/09/23 11:16
S4	221	S3 and threshold	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/09/23 10:58
S5	793	(jitter adj buffer) or (smooth\$4 adj buffer)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/09/23 11:17
S6	278	S5 and threshold	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/09/23 14:26
S7	0	wo0113542	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/09/23 12:47
S8	19	"6021124"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/09/23 12:51
S9	5	"5701312"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/09/23 12:51
S10	0	(S8 or S9) and jitter	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/09/23 12:55
S11	18	(S8 or S9) and buffer	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/09/23 12:56
S12	6	(S8 or S9) and buffer and threshold	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/09/23 13:09
S13	34968	jitter	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/09/23 13:09
S14	1990	jitter with buffer	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/09/23 13:09
S15	715	S14 and threshold	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/09/27 11:30

S16	373	S15 and "370"/\$	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/09/23 13:10
S18	239	S16 and frequency	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/09/23 13:12
S19	95	S14 with threshold	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/09/23 16:08
S20	0	S19 and jitter and buffer and thrshold	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/09/23 13:16
S21	95	S19 and jitter and buffer and threshold	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/09/23 17:20
S23	291	S14 with (size or depth)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/09/23 13:20
S24	138	S23 and jitter and buffer and threshold and (size or depth)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/09/26 10:43
S25	1	("2003/0031210").URPN.	USPAT	OR	ON	2005/09/23 13:28
S26	793	(jitter adj buffer) or (smooth\$4 adj buffer)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/09/23 14:27
S27	40	S26 and threshold and retransmit\$4	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/09/23 14:27
S29	25	S24 and retransmit\$5	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/09/23 14:29
S30	11	("4580262"   "4777653"   "5210751"   "5713074"   "5722051"   "5793744"   "5887245"   "6085106"   "6434130"   "6452950").PN. OR ("6665283").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/23 15:00
S31	3760	S17 and jitter and buffer and threshold	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/23 15:00
S32	0	S30 and jitter and buffer and threshold	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/23 15:01
S33	1	S30 and jitter and buffer	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/23 15:01
S34	1	S19 and rlp	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/09/23 17:00

S35	71	S19 and ((base adj station)or bs)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/09/23 17:02
S36	71	S21 and ((base adj station)or bs)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/09/23 17:03
S37	71	S21 and ((base adj station)or (bs))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/09/23 17:08
S38	21	S21 and ((base adj station)or (b adj s))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/09/23 17:19
S39	258	(base adj station) and jitter and buffer and threshold	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/09/23 17:20
S40	202	S39 and (size or depth)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/09/23 17:21
S41	44	S40 and (jitter with buffer)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/09/23 17:23
S42	13	S40 and (jitter with buffer with threshold)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/09/26 09:27
S43	0	(radio adj frequency adj load) with threshold	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/09/26 09:28
S44	668	(radio adj frequency) with threshold	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/09/26 14:03
S45	183	S44 and base and mobile	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/09/26 09:28
S46	43	S45 and buffer	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/09/26 09:30
S47	6	S46 and jitter	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/09/26 09:29
S48	1990	jitter with buffer	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/09/26 10:44
S49	291	S48 with (size or depth)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/09/26 13:15
S50	138	S49 and jitter and buffer and threshold and (size or depth)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/09/26 10:44

S51	19	S50 and ((power or energy) adj level)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/09/26 10:44
S52	13263	"370"/\$ and transmit\$6 and receiv\$5 and wireless and packet and network and communication	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/09/26 11:04
S53	245	S52 and (jitter with buffer)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/09/26 11:12
S54	77	S52 and (jitter with buffer) and forward and reverse	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/09/26 11:21
S55	52	S52 and (jitter with buffer) and mobile and (base adj station)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/09/26 11:36
S56	201	"5504773"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/09/26 11:36
S57	159	S56 and (forward adj link) and (reverse adj link)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/09/26 15:32
S58	36	S57 and buffer	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/09/26 15:24
S59	23	S49 and acknowledgment	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/09/26 13:16
S61	0	S49 and acknowledgment and (rount adj trip)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/09/26 14:04
S62	23	S49 and acknowledgment	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/09/26 14:04
S63	8	S62 and (round with trip)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/09/26 14:06
S64	8	S62 and (round with trip) and jitter and buffer	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/09/26 14:06
S65	1	"20030123466" and jitter and buffer and (round adj trip) and acknowledgment and size and period	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/09/26 14:52
S66	46	transmi\$9 with acknowledgment with (receiv\$5 or recept\$4) with round with trip	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/09/26 14:57
S67	5	S66 and jitter	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/09/26 14:57

S68	668	(radio adj frequency) with threshold	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/09/26 15:23
S69	183	S68 and base and mobile	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/09/26 15:23
S70	0	"6298057" and (forward adj link) and (reverse adj link)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/09/26 15:25
S71	159	S56 and (forward adj link) and (reverse adj link) and (transmis\$6 same receiv\$5)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/09/26 15:36
S72	159	S56 and (forward adj link) and (reverse adj link) and (transmi\$6 same receiv\$5)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/09/26 15:36
S73	17	reduce with threshold with jitter with buffer	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/09/26 18:04
S74	4798	(370/252,328,329).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/09/27 09:33
S75	801	(370/516).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/09/27 09:36
S77	462	(silence adj detection)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/09/27 09:37
S78	36	S77 and jitter and buffer and size	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/09/27 09:37
S79	20	"6119235"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/09/27 09:47
S80	20	("4147895"   "5146477"   "5528598"   "5534937"   "5550877"   "5621775"   "5640388"   "5652627"   "5757871"   "5764298"   "5778218"   "5872789"   "5872823"   "5881245"   "5940479"   "6301258"   "6377931"   "6452950").PN. OR ("6683889"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/27 09:56
S81	17	S80 and jitter and buffer	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/27 09:57
S82	5	S81 and (silence or silent or speech)	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/27 10:01

S83	5	S81 and (silence or silent or speech or speak)	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/27 10:01
S84	1990	jitter with buffer	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/09/27 11:30
S85	715	S84 and threshold	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/09/27 11:30
S86	27	S85 and (((power or energy) adj level) with threshold)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/09/27 11:53
S87	506	((low or high) adj2 ((power or energy) adj level) with threshold)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/09/27 12:06
S88	10	S87 and jitter	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/09/27 11:54
S89	2395	(((((bit or frame) adj error) or ber or fer) with threshold)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/09/27 12:08
S90	141	S89 same ((power or energy) adj level)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/09/27 12:08
S91	24	S90 and jitter	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/09/27 12:08
S92	3925	(hold adj off) or holdoff	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/09/28 10:40
S93	11	S92 and mobile and jitter and buffer	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/09/28 10:41
S94	709	period and (timeout or holdoff or silence) and jitter and acknowledged\$5	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/09/28 10:42
S95	244	S94 and mobile and frame	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/09/28 10:42
S96	240	S95 and length	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/09/28 10:42
S97	229	S96 and size	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/09/28 10:56
S98	10	S96 and (jitter with buffer with size)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/09/28 11:05

S99	254	(jitter with buffer with size)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/09/28 11:05
S10 0	59	S99 and retransmi\$6	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/09/28 11:06
S10 1	31	S100 and acknowledg\$6	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/09/28 11:06
S10 2	27	S101 and period	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/09/28 11:06